



Session outline

- The gut microbiome
- The gut/brain axis
 Gut function and diet > behaviour linkages
- Continence issues: Constipation, diarrhoea
 Medical challenges: Reflux, coeliac disease

- Food allergies
 Food intolerances (inc. food chemical intolerance)
 Mental health
 Feeding difficulties and mealtimes challenges
- Micronutrient and macronutrient deficiency
 Optimal dietary patterns for gut function
 Case study













Diet, the gut and mental health

The gut-brain axis: bio-directional link between CNS and ENS
 https://www.futurelearn.com/courses/food-and-mood

0	
HATCH	
THAT CITIES	
DIETETICS	
1 mm 1 mm 1 mm 1 mm 1 mm	









- Irritable bowel syndrome
- Coeliac disease
- Gastroesophageal reflux disease
- Eosinophilic oesophagitis
- Delayed gastric emptying and transit • Enzyme deficiencies
- Inflammatory bowel diseases (Crohn's disease, Ulcerative Colitis)
- Short bowel syndrome
- Faecal incontinence
- Bowel cancer
- Bowel obstructions





















18

Mealtime behaviours

- Avoidance of coming to the table
- Leaving the table (at the sight of food, or shortly into the meal)
- Meltdowns
- Avoidance of specific foods
- Throwing food and/or cutlery and crockery
- Fatigue/lethargy/disengagement at the meal
- Asking (persisting) for an alternative food option either prepared at home or take away option
- Use of device at the meal

• Requiring a specific set up (e.g. chair, plate, bowl)



Feeding difficulties

- 50-90% of children with ASD experience feeding difficulties
- 57-92% of children with CP experience feeding difficulties

- Malnutrition

 Physiological impacts

 Motor function

 Neurological function

 Psychological function

Nutrient	Common sources	Behavioural link
Vitamin D	Sunlight, mushrooms exposed to UV light, egg yolks, liver, fish oils, fortified foods	ADHD behaviours, Bone and muscle pain, rickets (soft, weakened bones) in children, depression and schizophrenia in adults Adolescents: Externalising problems scores in adolescence, potentiall due to higher aggressive and rule-breaking behavior (Robinson et al. 2020)
Iron	Red meat, pork, chicken, fish & shellfish, lentils, beans, soy products, leafy green vegetables, raisins, wholegrain cereals, fortified cereals & grain products, peanuts, dates, eggs	Behavioural disturbances in children: irritable, disruptive, have a shor attention span and lack interest in the surroundings (Mahajan, 2011) Tiredness, fatigue, loss of attention, reduced social skills, pica, cognitive development
B12	Liver, kidney, milk, eggs, fish, cheese, muscle meats. Fortified nutritional yeast	Depression (possible link) Neuropsychiatric symptoms such as delirium, mood disorders, psychosis, and Alzheimer's dementia
Magnesium	Seeds, nuts, legumes, milled cereal grains, dark green vegetables	Tremors, muscle spasms, personality changes, anorexia, nausea and vomiting, bone metabolism, ADHD behaviours
Folate	Fortified cereals, liver, mushrooms, green leafy vegetables (spinach, asparagus and broccoli), lean beef, potatoes, wholegrain bread, orange juice, dried beans	General weakness, depression and polyneuropathy, poor growth
Zinc	Oysters, beef, crab, beef patty, breakfast cereal (fortified), pork chop, baked beans, chicken, dark meat (higher), yoghurt, cashews, chickpeas, cheese, oats, milk, almonds, kidney beans, peas	Growth retardation, loss of appetite, and impaired immune function, hair loss, diarrhoea, weight loss, delayed healing of wounds, taste abnormalities, mental lethargy









Client referrals

- Clinical supervision for AHPs
- Training for AHPs
 Business coaching



26







